

Table of Contents

Executive Summary

Table of Contents

Acronyms

Chapter 1: Introduction

1.1	The Valley's Unique Challenges	1-2
1.2	PM2.5 and Associated Health Impacts	1-4
1.3	National Ambient Air Quality Standards	1-7
	1.3.1 EPA's Standard-Setting Process	1-7
	1.3.2 Federal PM2.5 Standards and Implementation	1-8
	1.3.3 State Standards.....	1-11
1.4	Public Process of Plan Development	1-12

Chapter 2: Risk-Based Strategy

2.1	What is the Risk-based Strategy?	2-1
2.2	Background for the Risk-Based Strategy	2-2
2.3	How is the Risk-Based Strategy being Incorporated into this Plan?..	2-5
2.4	Five-Factor Exposure Assessment Methodology	2-6
	2.4.1 Relevance to Attainment	2-7
	2.4.2 Toxicity of Chemical Species.....	2-7
	2.4.3 Particle Size and Deposition.....	2-14
	2.4.4 Exposure to Ultrafine Particles (PM 0.1)	2-17
	2.4.5 Population Proximity and Intake Fraction	2-18
2.5	Health Benefits Achieved Through 2012 PM2.5 Plan	2-20

Chapter 3: Air Quality in the San Joaquin Valley: Challenges & Trends

3.1	Challenges of the Natural Environment.....	3-1
	3.1.1 Unique Climate and Geography	3-1
	3.1.2 Valley Carrying Capacity	3-4
3.2	PM2.5 Emissions Inventory Trends.....	3-5
3.3	PM2.5 Air Quality Trends	3-8
	3.3.1 Air Monitoring Network	3-8
	3.3.2 Air Quality Progress	3-9

Chapter 4: Scientific Foundation and PM2.5 Modeling Results

4.1	Air Quality Research	4-1
4.2	The Nature and Formation of PM2.5.....	4-3
4.3	PM2.5 Species in the San Joaquin Valley.....	4-3
4.4	Scientific Foundation for the 2012 PM2.5 Plan	4-5
	4.4.1 Ammonia Contribution to PM2.5 Concentrations.....	4-6
	4.4.2 VOC Contribution to PM2.5 Concentrations	4-12
	4.4.3 Geologic Contribution to PM2.5 Concentrations.....	4-13

	4.4.4	Organic Carbon Formation: Summary of Research Findings.....	4-14
	4.4.5	Controlling Organic Aerosol under the Risk-Based Strategy	4-20
	4.4.6	Condensable Particulates.....	4-22
4.5		Projected Future Air Quality and Identifying the Goal	4-22
	4.5.1	Modeling Overview	4-22
	4.5.2	Measuring the Benefit of Control Measure Reductions	4-24
	4.5.3	Modeling Requirements.....	4-25
	4.5.4	Base and Future Years for Modeling.....	4-25
	4.5.5	Air Quality and Meteorological Models	4-26
	4.5.6	Modeling Domains.....	4-27
Chapter 5:		Control Strategy	
5.1		Comprehensive Regulatory Control Strategy	5-1
	5.1.1	District Regulations Contributing to Continued PM2.5 Improvement	5-2
	5.1.2	ARB Regulations Contributing to Continued PM2.5 Improvement	5-10
	5.1.3	District VOC Regulations.....	5-17
	5.1.4	District Ammonia Regulations	5-18
5.2		Evaluating Control Measures for New Control Strategy Opportunities.....	5-19
	5.2.1	Evaluation of Control Measures	5-19
	5.2.2	Control Strategy Commitments	5-21
5.3		New Control Measures.....	5-21
	5.3.1	Regulatory Control Measure Commitments.....	5-21
	5.3.2	Rule Development Process	5-23
	5.3.3	Further Study Measures	5-24
5.4		Additional Control Strategies.....	5-29
	5.4.1	Energy Efficiency.....	5-29
	5.4.2	Eco-driving	5-29
Chapter 6:		Incentive Programs	
6.1		Incentive Funding.....	6-2
	6.1.1	Funding Sources	6-2
	6.1.2	Incentive Strategy.....	6-3
	6.1.3	Statutory Constraints on Incentive Funding.....	6-4
6.2		SIP Creditability of Incentive Programs (Rule 9610)	6-5
6.3		Current District Programs.....	6-6
	6.3.1	Heavy-Duty Trucks	6-6
	6.3.2	Agricultural Pumping Engines	6-7
	6.3.3	Agricultural Equipment	6-7
	6.3.4	Locomotives	6-8
	6.3.5	Forklifts.....	6-9
	6.3.6	School Bus Replacement and Retrofit.....	6-10

6.4	6.3.7 Community Incentives	6-10
	New Potential Incentive Programs	6-13
Chapter 7:	Technology Advancement	
7.1	Technology Focus Areas	7-1
7.2	Future Demonstration Projects.....	7-2
7.3	Demonstration Projects in Process	7-2
7.4	Interagency Collaborative Demonstration Projects	7-7
Chapter 8:	Legislative Strategy and Community Outreach	
8.1	Legislative Strategy	8-1
	8.1.1 Incentive Funding	8-2
	8.1.2 Risk-based Strategy	8-2
	8.1.3 Lower Mobile Source Emissions	8-2
	8.1.4 Energy Efficiency and Clean Energy Alternatives	8-3
	8.1.5 Reduce Public Health Impacts from Wildfires.....	8-4
8.2	Community Outreach	8-5
	8.2.1 Real-Time Air Advisory Network (RAAN)	8-5
	8.2.2 Real-Time Outdoor Activity Risk (ROAR)	8-6
	8.2.3 Air Quality Flag Program	8-6
	8.2.4 Check Before You Burn.....	8-6
	8.2.5 Healthy Air Living	8-7
Chapter 9:	Attainment Demonstrations, RACM, RFP, and Contingency Measures	
9.1	Attainment Outlook.....	9-1
9.2	Reasonably Available Control Measures (RACM).....	9-2
9.3	Reasonable Further Progress (RFP).....	9-4
9.4	Contingency Measures	9-8
	9.4.1 What Qualifies as a Contingency Measure?.....	9-9
	9.4.1.1 Surplus Reductions from Implementation of Traditional Regulations	9-9
	9.4.1.2 Regulations with Contingency Trigger	9-11
	9.4.1.3 SIP-Creditable Incentive-Based Emissions Reductions	9-12
	9.4.2 Sufficient Contingency Reductions.....	9-13
Chapter 10:	Summary of Attainment Strategy	
10.1	Summary of 2012 PM _{2.5} Plan Control Strategy.....	10-1
10.2	Population in Attainment through Implementation of Strategy	10-8
10.3	Health Benefits of Attainment under the Plan.....	10-10

This page intentionally blank.

Appendices

Appendix A: Ambient PM_{2.5} Data Analysis

A.1	PM _{2.5} Concentrations—Measurement and Influences	A-1
A.1.1	PM _{2.5} Monitor Types	A-2
A.1.2	Meteorological Influences on PM _{2.5} Concentrations	A-2
A.1.3	Exceptional Events Influences on PM _{2.5} Concentrations ..	A-5
A.1.3.1	PM _{2.5} Exceptional Event Documentation Submitted to EPA.....	A-5
A.1.3.2	High-Wind Events Effects on PM _{2.5} Data.....	A-7
A.2	Attainment Demonstration—Design Values	A-8
A.3	Ambient PM _{2.5} Concentration Data Trends.....	A-17
A.3.1	Days Over the 24-hour PM _{2.5} NAAQS	A-17
A.3.2	Seasonal Trends—First- and Fourth-Quarter Averages	A-19
A.3.3	Annual Trends of Diurnal PM _{2.5} Concentration Profiles	A-28
A.3.4	PM _{2.5} Driven Air Quality Index Analysis	A-33
A.3.5	PM _{2.5} Concentration Frequency Distributions	A-38
A.3.6	PM _{2.5} Concentration Distributions	A-41
A.3.7	PM _{2.5} Concentration by Day of Week	A-46
A.4	Meteorology, PM _{2.5} Speciation, and Rule Effectiveness	A-49
A.4.1	Meteorologically Adjusted Trends	A-49
A.4.2	Trends in PM _{2.5} Species	A-51
A.4.3	Effectiveness of District Rule 4901	A-55

Appendix B: Emissions Inventory

B.1	Emissions Inventory Tables	B-3
B.2	Emissions Inventory Calculations and Revisions	B-18
B.2.1	Base Year Inventory.....	B-19
B.2.2	Emission Forecasts	B-19
B.2.3	Annual, Seasonal, and Modeling Inventories	B-20
B.2.4	Quality Assurance and Quality Control.....	B-20
B.3	Emissions Inventory Improvements	B-21
B.3.1	Stationary Sources	B-21
B.3.2	Area-wide Sources	B-23
B.3.3	Mobile Sources.....	B-26
B.4	Future Population Estimates	B-28

Appendix C: Mobile Source Control Strategies

C.1	Passenger Cars, Light-Duty Trucks, Medium-Duty Vehicles, and Motorcycles	C-3
C.2	Heavy-Duty Trucks.....	C-7
C.3	Buses	C-10
C.4	Aircraft and Airport Ground Support Equipment.....	C-13
C.5	Locomotives and Off-Road Rail Operations	C-15
C.6	Ships, Commercial Boats, and Off-Road Port Operations	C-17
C.7	Recreational: Boats, Motor Homes, and Off-Highway Vehicles	C-19

C.8	Other Off-Road Vehicles and Equipment	C-20
C.9	Farm Equipment.....	C-22
C.10	ARB Mobile-Source RACM	C-25
C.11	Transportation Conformity.....	C-26
	C.11.1 PM2.5 Requirements.....	C-26
	C.11.2 Assessment of Significance.....	C-28
	C.11.3 Conformity Budgets	C-29
	C.11.4 Local Reasonably Available Control Measures (RACM)	C-33
	C.11.5 SB 375.....	C-35

Appendix D: Stationary and Area Source Control Strategy Evaluation

D.1	Combustion Devices	D-7
	D.1.1 Rule 4203 Particulate Matter Emissions from the Incineration of Combustible Refuse.....	D-10
	D.1.2 Rule 4307 Boilers, Steam Generators, and Process Heaters – 2.0 MMBtu/hr to 5.0 MMBtu/hr	D-13
	D.1.3 Rule 4308 Boilers, Steam Generators, and Process Heaters – 0.075 MMBtu/hr to less than 2.0 MMBtu/hr.....	D-19
	D.1.4 Rule 4309 Dryers, Dehydrators, and Ovens	D-26
	D.1.5 Rule 4320 Advanced Emission Reduction Options for Boilers, Steam Generators, and Process Heaters Greater than 5.0 MMBtu/hr.....	D-32
	D.1.6 Rule 4352 Solid Fuel Fired Boilers, Steam Generators, and Process Heaters	D-39
	D.1.7 Rule 4702 Internal Combustion Engines	D-47
	D.1.8 Rule 4703 Stationary Gas Turbines.....	D-54
D.2	Industrial Processes	D-65
	D.2.1 Rule 4104 Reduction of Animal Matter	D-67
	D.2.2 Rule 4311 Flares	D-70
	D.2.3 Rule 4313 Lime Kilns.....	D-74
	D.2.4 Rule 4354 Glass Melting Furnaces.....	D-75
	D.2.5 Rule 4802 Sulfuric Acid Mist.....	D-79
D.3	Managed Burning.....	D-82
	D.3.1 Rule 4103 Open Burning	D-85
	D.3.2 Rule 4106 Prescribed Burning and Hazard Reduction Burning	D-90
D.4	Agricultural Processes	D-96
	D.4.1 Rule 4204 Cotton Gins	D-99
	D.4.2 Rule 4550 Conservation Management Practices	D-104
D.5	Residential and Commercial	D-108
	D.5.1 Rule 4692 Commercial Charbroiling.....	D-111
	D.5.2 Rule 4901 Wood Burning Fireplaces and Wood Burning Heaters	D-118
	D.5.3 Rule 4902 Residential Water Heaters	D-128
	D.5.4 Rule 4905 Natural Gas-Fired, Fan-Type, Residential Central Furnaces	D-132

D.6	Fugitive Particulate Matter.....	D-135
	D.6.1 Rule 8011 General Requirements	D-138
	D.6.2 Rule 8021 Construction, Demolition, Excavation, Extraction, and Other Earthmoving Activities	D-141
	D.6.3 Rule 8031 Bulk Materials.....	D-144
	D.6.4 Rule 8041 Carryout and Trackout.....	D-147
	D.6.5 Rule 8051 Open Areas	D-150
	D.6.6 Rule 8061 Paved and Unpaved Roads	D-153
	D.6.7 Rule 8071 Unpaved Vehicle/Equipment Traffic Areas.....	D-157
	D.6.8 Rule 8081 Agricultural Sources	D-160
D.7	Additional Source Categories.....	D-163
	D.7.1 SC 001 Lawn and Garden Equipment.....	D-167
	D.7.2 SC 002 Energy Efficiency	D-176
	D.7.3 SC 003 Fireworks	D-179
	D.7.4 SC 004 Sand and Gravel Operations	D-183
	D.7.5 SC 005 Asphalt/Concrete Operations.....	D-186
	D.7.6 SC 006 Almond Hulling/Shelling Operations	D-190
	D.7.7 SC 007 Pistachio Hulling/Shelling Operations.....	D-196
	D.7.8 SC 008 Agricultural Material Screening/Shaking Operations.....	D-199
	D.7.9 SC 009 Tub Grinding.....	D-202
	D.7.10 SC 010 Abrasive Blasting.....	D-205
D.8	Emission Inventory Codes.....	D-208

Appendix E: BenMAP Health Benefit Analysis

E.1	Background.....	E-1
E.2	How BenMAP Works.....	E-2
E.3	Summaries of Health Endpoints Used in the Analyses	E-4
E.4	Incidence Results.....	E-6
E.5	Valuation Results	E-7

Appendix F: Modeling Protocol

	Acronyms	F-9
1.	Introduction	F-12
	1.1 Modeling Roles for the Current SIP.....	F-13
	1.2 Stakeholder Participation in the SIP Modeling Process.....	F-13
	1.3 Involvement of External Scientific/Technical Experts and Their Input on the Photochemical Modeling	F-14
	1.4 Schedule for Completion of the Plan	F-15
2.	Description of the Conceptual Model for the Nonattainment Area.....	F-17
	2.1 History of Field Studies in the Region	F-17
	2.2 CRPAQS Relevance to SIP.....	F-21
	2.3 Description of PM _{2.5} Monitoring in the SJV	F-22
	2.4 PM _{2.5} Air Quality Trends	F-24
	2.5 Major PM _{2.5} Components.....	F-27
	2.6 Conditions Leading to PM _{2.5} Exceedances	F-28

2.7	Past Modeling Efforts and Results	F-31
3.	Selection of the Modeling Protocols	F-39
3.1	Reference Year Selection and Justification	F-39
3.2	Future Years and Justifications	F-39
3.3	Justification for Quarterly Modeling Instead of Several Episodes	F-40
3.4	Identification of Exceptional Events to be excluded from Base/Reference/Future Year Modeling	F-40
4.	Development of Emissions Inventories	F-42
4.1	PM2.5 Emissions Inventory Development	F-42
4.1.1	Background	F-43
4.1.2	Terminology	F-45
4.2	Point and Area Source Emissions	F-48
4.2.1	Development of Base-Year Emission Inventory ..	F-48
4.2.2	Quality Assurance of Base Year Emissions.....	F-49
4.3	Future Year (Forecasted) Emissions.....	F-51
4.3.1	Growth Factors	F-51
4.3.2	Control Factors	F-52
4.4	Day Specific Emissions	F-53
4.4.1	Wildfires and Prescribed Burns	F-53
4.4.2	Paved Road Dust.....	F-53
4.4.3	Unpaved Road Dust	F-55
4.4.4	Agricultural Burn Data for San Joaquin Valley	F-56
4.4.5	Ocean-Going Vessels.....	F-57
4.5	Temporally and Spatially Resolved Emissions	F-57
4.6	Surface Temperature and Relative Humidity Fields	F-58
4.7	On-Road Mobile Source Emissions.....	F-59
4.7.1	General Methodology	F-60
4.8	Biogenic Emissions	F-65
4.9	Spatial Allocation.....	F-67
4.9.1	Grid Definition.....	F-68
4.9.2	Spatial Surrogates	F-69
4.10	Speciation.....	F-74
4.10.1	Speciation Profiles	F-75
4.10.2	Chemical Mechanisms.....	F-77
4.11	Quality Assurance	F-80
4.11.1	Examples of Standard Tabular Summaries	F-81
4.11.2	Spatial Plots.....	F-84
4.11.3	Time Series Plots.....	F-85
5.	Models and Inputs.....	F-88
5.1	Rationale for the Selection of Models.....	F-88
5.1.1	Meteorology Model	F-88
5.1.2	Air Quality Model	F-89
5.2	Model Setup and Inputs.....	F-91

	5.2.1	Meteorology Model (modeling domains, horizontal and vertical resolution, physics options, regional reanalysis data, etc.)	F-91
	5.2.2	Air Quality Model (modeling domains, horizontal and vertical resolution, chemical mechanisms, PM routines, initial and boundary conditions, etc.).....	F-94
	5.2.3	Construction of the Simulated PM _{2.5} Mass.....	F-104
	5.2.4	Quality Assurance of Model Inputs	F-104
6.		Meteorological Model Performance Evaluation	F-105
	6.1	Known Performance Issues of Meteorological Models in the Complex Terrain of California and Current Attempts to Improve Performance	F-105
	6.2	Ambient Data Base and Quality of Data	F-107
	6.3	Model Performance Evaluation Procedures and Metrics.....	F-108
	6.3.1	Statistical Evaluation.....	F-108
	6.3.2	Phenomenological Evaluation	F-111
7.		Air Quality Model Performance Evaluation.....	F-113
	7.1	Ambient Data Base and Quality of Data	F-113
	7.2	Model Performance Evaluation Procedures and Metrics.....	F-115
	7.3	Diagnostic Testing.....	F-119
8.		Attainment Plan	F-120
	8.1	Calculation of Relative Response Factors.....	F-120
	8.2	Sulfate, Adjusted Nitrate, Derived Water, Inferred Carbonaceous Material Balance Approach (SANDWICH) and Potential Modifications.....	F-120
	8.3	Estimation of Species Concentration at Federal Reference Method (FRM) Monitors that Lack Speciation Data	F-124
	8.4	Speciated Modeled Attainment Test (SMAT)	F-125
	8.5	Sensitivity Analyses.....	F-127
	8.6	Unmonitored Area Analysis	F-127
9.		Supplemental Analyses.....	F-129
	9.1	Additional Analyses to be completed to Corroborate The Modeling.....	F-129
	9.2	Base Case Air-Quality Modeling with Meteorological Fields Generated with the Weather and Research Forecast (WRF) Model	F-130
10.		Procedural Requirements	F-132
	10.1	How Modeling and other Analyses will be Archived Documented, and Disseminated	F-132
	10.2	Specific Deliverables to U.S. EPA	F-133
		References.....	F-134

Appendix G: PM2.5 Weight of Evidence Analysis

	Executive Summary	i
1.	Introduction	1
2.	PM2.5 Standards and Health Effects	3
3.	Monitoring in the San Joaquin Valley	4
	a. Established monitoring network.....	4
	b. Extensive field studies	4
4.	Nature and Extent of the PM2.5 Problem.....	7
	a. Current air quality	7
	b. Seasonal variability	7
	c. Diurnal variability	8
	d. Chemical composition	9
	e. Spatial distribution of the major PM2.5 components, local versus regional	11
	f. Episode development.....	13
5.	Secondary Ammonium Nitrate Formation	15
	a. Chemistry	15
	b. Limiting precursor concept	16
	c. Role of ammonia in ammonium nitrate formation	17
	d. Role of VOC in ammonium nitrate formation	24
6.	Secondary Organic Aerosol Formation	32
7.	Emission Sources of Wintertime PM2.5	34
	a. Emission Inventory	34
	b. Chemical markers of source types	36
	c. Source apportionment using source receptor models	37
	d. Photochemical modeling source apportionment.....	41
8.	PM2.5 Quality Progress	42
	a. Annual PM2.5 trends.....	42
	b. 24-Hour PM2.5 trends	43
	c. Meteorology impacts on air quality	44
	d. Annual trends adjusted for meteorology	47
	e. 24-Hour trends adjusted for meteorology	48
	f. Trends in 24-Hour, seasonal, and hourly PM2.5	50
	g. Chemical composition trends	55
	h. Emission inventory trends	57
9.	Linking Air Quality Trends to Emission Reductions.....	58
	a. NOx Control.....	58
	b. Residential wood burning controls.....	60
10.	Modeled Attainment Demonstration	62
	a. Modeling results	62
	b. Benefits of emission reductions from on-going programs...	63
	c. Evaluation of precursor sensitivity	64
	d. Demonstrating attainment at Bakersfield-California	70
11.	Summary.....	71
	References.....	72

Appendix 1 California Regional PM10/PM2.5 Air Quality Study Publications

Appendix 2 PM2.5 Source Apportionment for the San Joaquin Valley Air Basin Using the Chemical Mass Balance Receptor Model

Appendix 3 Source Apportionment of PM2.5 Measured at the Fresno and Bakersfield Chemical Speciation Network Sites in the San Joaquin Valley Using the Positive Matrix Factorization Model

Appendix 4 Methodology for Meteorological Adjustment of PM2.5 Trend Statistics

Appendix 5 Speciated Linear Rollback Modeling as a Corroborative Analysis to the Regional Photochemical Model

Appendix 6 Unmonitored Areas Analysis

Appendix H: Emission Reduction Credits

H.1 Introduction H-1

H.2 Pre-Baseline Emission Reduction Credits..... H-1

Attachment 1: Development of PM2.5 Interpollutant Trading Ratios Used in New Source Reviews within the San Joaquin Valley H-84

1. Introduction..... H-85

2. Modeling Description H-85

3. Trading Ratios H-86

4. Alternative Approaches..... H-88

Appendix I: Summary of Significant Comments and Responses I-1

This page intentionally blank.

List of Figures

Figure ES-1	San Joaquin Valley Emissions Reductions, 2012 <i>PM2.5 Plan</i>	ES-3
Figure ES-2	Exceedances of PM10 Standard Eliminated.....	ES-4
Figure ES-3	San Joaquin Valley Emissions Reductions, 1990 – 2005.....	ES-4
Figure ES-4	San Joaquin Valley PM2.5 Design Value Trends.....	ES-5
Figure ES-5	San Joaquin Valley Ozone Trends.....	ES-5
Figure ES-6	San Joaquin Valley Air Quality Index Trends.....	ES-6
Figure ES-7	San Joaquin Valley Topography Traps Air Pollution.....	ES-9
Figure ES-8	Percent of Valley Population Living in Attainment Areas through Implementation of 2012 <i>PM2.5 Plan</i>	ES-10
Figure ES-9	The Valley's Journey to Attainment.....	ES-11
Figure 1-1	Trends in Exceedances of the 24-hour <i>PM2.5</i> Standard.....	1-4
Figure 1-2	<i>PM10</i> , <i>PM2.5</i> , Human Hair, and Fine Beach Sand.....	1-5
Figure 2-1	<i>PM2.5</i> Chemical Composition on Peak Days.....	2-11
Figure 2-2	Relationships Between Particle Size Distribution and Respiratory Deposition Zones.....	2-15
Figure 2-3	Particle Number Deposition Fraction (DF) and Total Particle Deposition of <i>PM0.1</i> at Rest and Exercise.....	2-16
Figure 2-4	Electron Micrograph of an Ultrafine Particle.....	2-17
Figure 2-5	Simplified Intake Fraction Model.....	2-19
Figure 3-1	San Joaquin Valley Air Basin.....	3-2
Figure 3-2	Atmosphere with and without a Temperature Inversion.....	3-3
Figure 3-3	Days over 35 $\mu\text{g}/\text{m}^3$ by Month at Fresno-First from 2010-2011.....	3-4
Figure 3-4	San Joaquin Valley <i>PM2.5</i> Winter Emissions Inventory Trend.....	3-6
Figure 3-5	San Joaquin Valley Winter <i>NOx</i> Emissions Inventory Trend.....	3-7
Figure 3-6	San Joaquin Valley <i>PM2.5</i> Annual and Winter Inventory Trends.....	3-8
Figure 3-7	Air Monitoring Sites within the San Joaquin Valley Air District.....	3-9
Figure 3-8	Historical <i>PM2.5</i> 24-Hour Design Value Trends.....	3-10
Figure 3-9	Trend of 24-Hour Average <i>PM2.5</i> Design Values at Bakersfield-Planz.....	3-11
Figure 3-10	Trend of Annual Average <i>PM2.5</i> Design Values at Bakersfield-Planz.....	3-11
Figure 3-11	Annual Trends in Days over 35 $\mu\text{g}/\text{m}^3$	3-12
Figure 3-12	Trend of Fourth-Quarter Average at Visalia.....	3-13
Figure 4-1	Comparison of 2004-2006 Average Annual <i>PM2.5</i> Chemical Composition.....	4-5
Figure 4-2	Modeled Regional Distribution of Ammonium Nitrate.....	4-7
Figure 4-3	Ammonia versus Nitric Acid Measurements at Angiola.....	4-8
Figure 4-4	Abundance of Ammonia in the San Joaquin Valley.....	4-9
Figure 4-5	<i>NOx</i> Control Reduces Ammonium Nitrate Most Efficiently.....	4-9

Figure 4-6	Modeled Ammonium Nitrate Response to Ammonia vs. NOx Controls	4-10
Figure 4-7	Correlation Between NOx Reductions and Observed Ammonium Nitrate in Fresno	4-10
Figure 4-8	PM Size Fraction for Windblown Dust from Agricultural Land.....	4-14
Figure 4-9	POA and SOA Formation Processes and Atmospheric Interactions....	4-15
Figure 4-10	POA Aging and Photolysis.....	4-16
Figure 4-11	Valley Trend of OC Mass as a Fraction of PM2.5 Mass	4-19
Figure 4-12	Winter Season Trend of Valley Average Daily PM2.5 Mass	4-19
Figure 4-13	Average Winter Season Potassium Concentration in the San Joaquin Valley	4-20
Figure 4-14	Air Quality Modeling Domain	4-28
Figure 4-15	Bakersfield-California Carrying Capacity Diagrams	4-31
Figure 4-16	Bakersfield-Planz Carrying Capacity Diagrams	4-32
Figure 4-17	Fresno-1st Carrying Capacity Diagrams	4-33
Figure 4-18	Fresno-HW Carrying Capacity Diagrams.....	4-34
Figure 4-19	Clovis Carrying Capacity Diagrams	4-35
Figure 4-20	Modesto Carrying Capacity Diagrams	4-36
Figure 4-21	Merced Carrying Capacity Diagrams	4-37
Figure 4-22	Stockton Carrying Capacity Diagrams	4-38
Figure 4-23	Visalia Carrying Capacity Diagrams	4-39
Figure 4-24	Corcoran Carrying Capacity Diagrams	4-40
Figure 5-1	Rule Development Process	5-23
Figure 9-1	NOx RFP Demonstration	9-7
Figure 10-1	Valley Residents with PM2.5 Concentrations below the Federal 24-hour PM2.5 Standard.....	10-8
Figure 10-2	Modeled PM2.5 Attainment Status by Monitoring Site.....	10-9
Figure A-1	Stagnation Episodes Comparison at Fresno-First	A-4
Figure A-2	Stagnation Episodes Comparison at Bakersfield-California.....	A-4
Figures A-3.1 through 3.4	24-hour and Annual Design Value Trends at Stockton Hazelton and Modesto.....	A-12
Figures A-3.5 through 3.8	24-hour and Annual Design Value Trends at Merced-M and Clovis	A-13
Figures A-3.9 through 3.12	24-hour and Annual Design Value Trends at Fresno-First and Fresno-Winery.....	A-14
Figures A-3.13 through 3.16	24-hour and Annual Design Value Trends at Corcoran and Visalia	A-15
Figures A-3.17 through 3.20	24-hour and Annual Design Value Trends at Bakersfield-CA and Bakersfield-Planz.....	A-16
Figure A-4	Trend in Days over the 1997 24-Hour PM2.5 NAAQS	A-17
Figure A-5	Trend in Days over the 2006 24-Hour PM2.5 NAAQS.....	A-18
Figure A-6	1st Quarter Average Trend at Bakersfield-California	A-19

Figure A-7	4th Quarter Average Trend at Bakersfield-California	A-20
Figure A-8	1st Quarter Average Trend at Clovis	A-21
Figures A-9.1 through 9.4	1st and 4th Quarter PM2.5 Average Trends at Clovis	A-22
Figures A-9.5 through 9.8	1st and 4th Quarter PM2.5 Average Trends at Fresno-First	A-23
Figures A-9.9 through 9.12	1st and 4th Quarter PM2.5 Average Trends at Corcoran.....	A-24
Figures A-9.13 through 9.16	1st and 4th Quarter PM2.5 Average Trends at Visalia.....	A-25
Figures A-9.17 through 9.20	1st and 4th Quarter PM2.5 Average Trends at Bakersfield-California	A-26
Figures A-9.21 through 9.24	1st and 4th Quarter PM2.5 Average Trends at Bakersfield-Planz	A-27
Figures A-10.1 through 10.4	PM2.5 Diurnal Profiles: Stockton-Hazelton, Tracy, Modesto, Turlock.....	A-29
Figures A-10.5 through 10.8	PM2.5 Diurnal Profiles: Merced-Coffee, Clovis, Fresno-First, Tranquility	A-30
Figures A-10.9 through 10.12	PM2.5 Diurnal Profiles: Hanford, Corcoran, Visalia, Porterville.....	A-31
Figures A-10.13 through 10.14	PM2.5 Diurnal Profiles: Ash Mountain, Bakersfield-California	A-32
Figure A-11	Air Quality Index Categories	A-34
Figures A-12.1 through 12.4	Number of Days per AQI Category per Year: Stockton-Hazelton, Tracy, Modesto, and Turlock.....	A-35
Figures A-12.5 through 12.8	Number of Days per AQI Category per Year: Merced, Clovis, Fresno-First, and Hanford.....	A-36
Figures A-12.9 through 12.12	Number of Days per AQI Category per Year: Corcoran, Visalia, Ash Mountain, and Bakersfield-California	A-37
Figure A-13	Histogram Comparison for Fresno-First.....	A-38
Figure A-14	Histogram Comparison for Modesto	A-39
Figure A-15	Histogram Comparison for Corcoran	A-39
Figure A-16	Histogram Comparison for Visalia	A-40
Figure A-17	Histogram Comparison for Bakersfield-Planz	A-40
Figure A-18	Box-and-Whisker Plot Interpretation	A-41
Figure A-19	Box-and-Whisker Plot of PM2.5 at Fresno-First.....	A-42
Figure A-20	Box-and-Whisker Plot of PM2.5 at Bakersfield-Planz	A-43
Figures A-21.1 through 21.4	PM2.5 Distributions for Stockton-Hazelton, Modesto, Merced-M, and Clovis.....	A-44
Figures A-21.5 through 21.8	PM2.5 Distributions for Fresno-Winery, Corcoran, Visalia, and Bakersfield-California.....	A-45
Figure A-22	Day of Week PM2.5 Concentrations at Modesto	A-46
Figure A-23	Day of Week PM2.5 Concentrations at Fresno-First.....	A-47
Figure A-24	Day of Week PM2.5 Concentrations at Corcoran	A-47

Figure A-25	Day of Week PM _{2.5} Concentrations at Visalia	A-48
Figure A-26	Day of Week PM _{2.5} Concentrations at Bakersfield-California	A-48
Figure A-27	Meteorologically Adjusted PM _{2.5} Trend for Bakersfield	A-50
Figure A-28	Meteorologically Adjusted PM _{2.5} Trend for Fresno	A-51
Figure A-29	Species Contribution to PM _{2.5} Mass in Fresno	A-52
Figure A-30	Species Contribution to PM _{2.5} Mass in Bakersfield	A-52
Figure A-31	PM _{2.5} Species Trends at Modesto	A-53
Figure A-32	PM _{2.5} Species Trends at Fresno-First	A-54
Figure A-33	PM _{2.5} Species Trends at Visalia	A-54
Figure A-34	PM _{2.5} Species Trends at Bakersfield-California.....	A-55
Figure A-35	Effect of Rule 4901 on Winter (November through February) PM _{2.5} Concentrations in Fresno	A-56
Figure B-1	Heavy Heavy-Duty Diesel Truck Emissions Forecast: EMFAC2011 vs. Current Assessment	B-27
Figure B-2	In-Use Construction Equipment Revised Activity Growth Estimate.....	B-28
Figure B-3	Temporal Comparison of Population Projections.....	B-30
Figure C-1	Illustration of San Joaquin Valley MPO Funding for Sample TCM Categories.....	C-34
Figure D-1	Average PM _{2.5} Emissions based on Device	D-122
Figure E-1	Selected Concentration Response Functions	E-8
Figure E-2	Avoided Disease Incidence by 2019 Due to Lower PM _{2.5} Exposure ..	E-10
Figure E-3	Reduced Disease Symptoms and Lost Work by 2019.....	E-10
Figure E-4	County Annual Avoided Deaths due to Premature Mortality by 2019 .	E-11
Figure E-5	County Annual Avoided Non-Fatal Health Costs by 2019.....	E-13
Figure 2-1	PM _{2.5} composition on an average exceedance day	F-28
Figure 5-1	The three nested grids for the MM5 model (D01 36km; D02 12km; and D03 4km).....	F-92
Figure 5-2	Modeling domains used by ARB.....	F-95
Figure 5-3	1-hour O ₃ mixing ratio at 3 am of Jan 10, 2007 (UTC) predicted by CMAQv4.7.1 with the Yamartino advection scheme.....	F-99
Figure 5-4	Difference in monthly average PM _{2.5} predictions for January 2007 simulated using CMAQv4.7.1 with the PPM and Yamartino schemes	F-100
Figure 5-5	Comparison of MOZART (red) simulated CO (left), ozone (center), and PAN (right) to observations (black) along the DC-8 flight track. Shown are mean (filled symbol), median (open symbols), 10th and 90th percentiles (bars) and extremes (lines). The number of data points per 1-km wide altitude bin is shown next to the graphs. Adapted from Figure 2 in Pfister et al. (2011)..	F-101

Figure 5-6	Difference in average PM _{2.5} prediction for January 2007 between simulation with the nested domain and simulation using 4km grid for the entire coarse domain	F-103
Figure 6-1	Terrain height changes along with counties and major rivers and lakes in California(http://geology.com/state-map/california.shtml)	F-107
Figure 7-1	Example of “bugle plots” showing PM _{2.5} actual model performance As compared to model performance criteria and goals (from Boylan and Russell, 2006)	F-117
Figure 7-2	Example of a “soccer plot” showing PM _{2.5} fractional bias and error (from Tesche et al., 2006)	F-117
Figure 7-3	An example of a Taylor diagram	F-118
Figure 1	PM _{2.5} particle diameter compared to the thickness of a single strand of hair	3
Figure 2	San Joaquin Valley PM _{2.5} monitoring network (FRMs and FEMs, October 2012)	4
Figure 3	CRPAQS monitoring program	5
Figure 4	2011 24-hour design values	7
Figure 5	Seasonal variation in PM _{2.5} concentrations at Bakersfield-California	8
Figure 6	Variation in hourly PM _{2.5} concentrations during the winter at Fresno-1st	9
Figure 7	2009-2011 average peak day PM _{2.5} chemical composition at a) Bakersfield, b) Fresno, and c) Modesto	10
Figure 8	Spatial distribution of winter ammonium nitrate concentrations measured during CRPAQS (Chow et al., 2005)	12
Figure 9	Spatial distribution of annual ammonia (NH ₃) concentrations (2/1/2000-1/31/2001) during CRPAQS (Chow et al., 2005)	12
Figure 10	Spatial distribution of winter organic carbon concentration measured during CRPAQS (Chow et al., 2005)	13
Figure 11	Atmospheric stability and buildup of PM _{2.5} concentrations at an urban site (Fresno) and a rural site (Selma) in the Fresno area during the December 2000 CRPAQS episode	13
Figure 12	Ammonium nitrate concentrations at Bakersfield during the 2000/2001 CRPAQS episode	14
Figure 13	Ammonium nitrate formation	16
Figure 14	Reducing the less abundant precursor is more effective in reducing ammonium nitrate	17
Figure 15	Reducing the more abundant precursor is less effective in reducing ammonium nitrate	17
Figure 16	Comparison of ammonia and nitric acid concentrations measured at Angiola during the winter of 2000/2001 as part of CRPAQS	19
Figure 17	Comparison of ammonia and nitric acid concentrations measured at Fresno during the winter of 2000/2001 as part of CRPAQS	20

Figure 18	Comparison of particulate ammonium and gaseous ammonia concentrations measured throughout the SJV during the winter of 2000/2001 as part of CRPAQS	21
Figure 19	Particulate nitrate reductions in response to 50 percent reductions in precursor emissions on January 6, 1996	22
Figure 20	Percent ammonium nitrate reduction in response to 50 percent reduction in NO _x or ammonia emission reductions at Fresno during the winter of 2000/2001	23
Figure 21	Time series with daily observations, base case simulation results And results from the sensitivity cases of (a) nitrate and (b) PM _{2.5} at Angiola (left) and Bakersfield (right). (Source: Pun et al., 2009, excerpt from Figure 2, pg. 406)	24
Figure 22	24-hour average NO _x /VOC particulate nitrate isopleths at Fresno for (a) all sources, (b) diesel engines, (c) catalyst equipped gasoline engines, and (d) upwind sources of nitrate. Units are µg/m ³ . (Source: Kleeman et al., 2005, Figure 3 pg. 5333)	27
Figure 23	24-hour average NO _x /VOC particulate nitrate isopleths at grid location -85 km Northing, 90 km Easting for (a) all sources, (b) diesel engines, (c) catalyst equipped gasoline engines, and (d) upwind sources of nitrate. Units are µg/m ³ . (Source: Kleeman et al., 2005, Figure 5 pg. 5335).....	28
Figure 24	The isopleths plot of PM _{2.5} nitrate with emission control of NO _x and VOC at Angiola (ANG) and Fresno (FEI) after a five-day back trajectory simulation for December 31, 2000. Units are in µg/m ³ . (Source: Kleeman, M.J., personal communication, May 2008).....	29
Figure 25	Time series with daily observations, base case simulation results and results from the sensitivity cases of (a) nitrate and (b) PM _{2.5} at Angiola (left) and Bakersfield (right). (Source: Pun et al., 2009, excerpt from Figure 2, pg. 406).....	31
Figure 26	Daily contributions to organic aerosol concentrations in Bakersfield in 2000 modeled with CMAQ: Primary organic aerosols (PA), secondary aerosols formed from biogenic VOC emissions (SB) and secondary aerosols formed from anthropogenic source VOC emissions (SA). Units are µg/m ³	33
Figure 27	Spatial distribution of annual levoglucosan measured throughout the San Joaquin Valley during CRPAQS (Watson, J., Roth, P., 2006).....	36
Figure 28	Wood smoke contribution to PM _{2.5} at Fresno-1st during a number of winter days in 2003 and 2004 (Gorin et al., 2005)	37
Figure 29	CMB model calculated 2007-2010 average PM _{2.5} source contributions of days with PM _{2.5} concentrations measuring over 30 µg/m ³ at a) Bakersfield-California (BAC) between 2007 and 2010 and b) Fresno-1st Street (FSF) between 2009 and 2010.....	40

Figure 30	Average high day source contributions estimated using PMF on days with PM _{2.5} concentrations measuring over 30 µg/m ³ at a) Bakersfield-California (BAC) between 2008 and 2010 and b) Fresno-1st Street (FSF) between 2009 and 2010	41
Figure 31	Trend in annual PM _{2.5} design values (2001-2011) at the Bakersfield-California, Fresno-1st, and Modesto monitoring sites	42
Figure 32	Trend in 24-Hour PM _{2.5} Design Values (2001-2011) at the Bakersfield-California, Fresno-1st, and Modesto monitoring sites	43
Figure 33	Trend in measured days over the 24-Hour standard of 35 µg/m ³ (1999-2011) at the Bakersfield-California and Fresno-1st monitoring sites.....	44
Figure 34	Frequency of high PM _{2.5} days in different regions of the San Joaquin Valley corresponding to different synoptic meteorological conditions during the CRPAQS winter of 2000/2001 (Mac Donald et al., 2006).....	45
Figure 35	Comparison of the 2011/2012 PM _{2.5} episode to the CRPAQS episodes of 1999/2000 and 2000/2001 at Bakersfield-California.....	46
Figure 36	Comparison of the 2011/2012 PM _{2.5} episode to the CRPAQS episodes of 1999/2000 and 2000/2001 at Fresno 1st.....	47
Figure 37	Observed and met-adjusted PM _{2.5} trends in Bakersfield	48
Figure 38	Observed and met-adjusted PM _{2.5} trends in Fresno	48
Figure 39	Observed and met-adjusted trends for PM _{2.5} exceedance days in a) the Bakersfield area and b) the Fresno area	49
Figure 40	Change in PM _{2.5} concentration frequency distribution between the 1999-2001 and 2009-2011 periods at the a) Bakersfield-California, b) Fresno-1st, and c) Modesto monitoring sites.....	50
Figure 41	Change in three-year averages of 1st and 4th quarter PM _{2.5} concentrations at the Bakersfield-California, Fresno-1st, and Modesto monitoring sites	51
Figure 42	Changes in winter-months average (January, February, November, December) PM _{2.5} concentrations at the Bakersfield-California, Fresno-1st and Modesto monitoring sites among years with most PM _{2.5} conducive meteorology	52
Figure 43	Changes in PM _{2.5} monthly concentrations between the 1999-2001 and 2009-2011 three-year periods at the a) Bakersfield-California, b) Fresno-1st, and c) Modesto monitoring sites.....	53
Figure 44	Changes in the average November-December PM _{2.5} hourly concentrations between the 1999-2001 and 2009-2011 three-year periods at the a) Bakersfield-California, b) Fresno-1st, and c) Modesto monitoring sites	54
Figure 45	Trends in PM _{2.5} chemical components at Bakersfield	55
Figure 46	Trends in PM _{2.5} chemical components at Fresno-1st.....	56
Figure 47	Trends in PM _{2.5} chemical components at Modesto	56
Figure 48	PM _{2.5} and PM _{2.5} precursor winter emission trends in the San Joaquin Valley	57

Figure 49	Comparison between trends in Valley wide winter average NOx Emission and PM2.5 nitrate concentrations at Bakersfield and Fresno. Emissions and concentrations are presented as three-year winter averages	58
Figure 50	Comparison of trends in wintertime PM2.5 nitrate and NOx Concentrations in Bakersfield. Concentrations are presented as three-year winter averages	59
Figure 51	Comparison of trends in wintertime PM2.5 nitrate and NOx Concentrations in Fresno. Concentrations are presented as three-year winter averages	59
Figure 52	Long-term trends in three-year average concentrations of PM10 nitrate and NOx in the San Joaquin Valley	60
Figure 53	Effect of SJVAPCD’s Rule 4901 on PM2.5 concentrations in Fresno.....	61
Figure 54	Bakersfield–California Isopleth Diagrams	67
Figure 55	2019 top five wintertime PM2.5 emission sources within the Bakersfield-California 9-grid cell area (3x3 grid cells, each measuring 4 km x 4 km with the Bakersfield-California monitor located in the center cell). Wintertime emissions expressed as an average of January, February, November and December emissions	69
Figure 56	2019 top five wintertime NOx emission sources within the Bakersfield-California 9-grid cell area (3x3 grid cells, each measuring 4 km x 4 km with the Bakersfield-California monitor located in the center cell). Wintertime emissions expressed as an average of January, February, November and December emissions	69

This page intentionally blank.

List of Tables

Table ES-1	Health Benefits Achieved Through Implementation of <i>2012 PM2.5 Plan</i>	ES-12
Table 1-1	Estimated Valley Population by County, 2010-2020	1-3
Table 1-2	PM2.5 Species	1-6
Table 1-3	Federal Requirements for PM2.5 Nonattainment Areas.....	1-10
Table 1-4	Federal Air Quality Standards and Valley Status for PM2.5	1-11
Table 1-5	<i>2012 PM2.5 Plan</i> Development and Public Workshop Timeline	1-12
Table 2-1	Health Benefits Achieved Through Implementation of the Plan	2-20
Table 2-2	Economic Costs Associated with Quantified Health Benefits	2-21
Table 4-1	2019 Modeled 24-hour PM2.5 Design Values with Enhanced Residential Wood-Burning Curtailment Program.....	4-23
Table 4-2	Attainment Demonstration—Bakersfield-California Design Value Site	4-24
Table 5-1	Adopted District Rules.....	5-3
Table 5-2	Adopted ARB Regulations	5-10
Table 5-3	Regulatory Control Measure Commitments	5-21
Table 5-4	Further Study Measures.....	5-25
Table 6-1	Potential New Incentive Programs	6-13
Table 8-1	District 2012 Legislative Platform	8-1
Table 9-1	Kern County Attainment Outlook.....	9-2
Table 9-2	Emissions Inventory with Plan Control Strategy (tpd)	9-5
Table 9-3	Total Reductions Necessary to Reach Attainment (tpd).....	9-5
Table 9-4	Target Emissions Levels for RFP Milestone Years	9-6
Table 9-5	RFP Target Demonstration (2014 and 2017)	9-6
Table 9-6	Contingency Emissions Reductions Target (in tons per day, or tpd).....	9-8
Table 9-7	Reductions Surplus to RFP for Contingency (tpd).....	9-10
Table 9-8	Attainment Contingencies from Traditional Regulatory Reductions (tpd).....	9-10
Table 9-9	Demonstration of Sufficient Contingency Reductions	9-14
Table 10-1	District Regulations Contributing to Continued PM2.5 Improvement.....	10-2
Table 10-2	ARB Regulations Contributing to Continued PM2.5 Improvement	10-2
Table 10-3	New District Regulatory Control Measures	10-5
Table 10-4	District Non-Regulatory Control Measure Strategy Summary	10-6
Table 10-5	Health Benefits Achieved Through Implementation of the Plan	10-10

Table A-1	2007 and 2008 Exceptional Events Impact on 24-hour and Annual PM2.5 Values.....	A-6
Table A-2	Example of High-Wind Event Influence on Bakersfield-Planz Design Value.....	A-7
Table A-3	General PM2.5 Design Value Calculation Methods	A-8
Table A-4	Single Year 24-hour Average PM2.5 98 th Percentile Values ($\mu\text{g}/\text{m}^3$)	A-10
Table A-5	24-hour Average PM2.5 Design Values (three-year averages, $\mu\text{g}/\text{m}^3$).....	A-10
Table A-6	Single Year Annual Mean PM2.5 Concentrations ($\mu\text{g}/\text{m}^3$).....	A-11
Table A-7	Annual PM2.5 Design Values (three-year averages, $\mu\text{g}/\text{m}^3$)	A-11
Table A-8	24-Hour PM2.5 AQI Scale.....	A-33
Table B-1	Directly Emitted PM2.5 (Winter Daily Averages in tons per day).....	B-3
Table B-2	NOx (Winter Daily Averages in tons per day)	B-6
Table B-3	SOx (Winter Daily Averages in tons per day)	B-9
Table B-4	VOC (Winter Daily Averages in tons per day)	B-12
Table B-5	Ammonia (Winter Daily Averages in tons per day).....	B-15
Table B-6	Comparison between DOF and MPO Population Projections	B-30
Table C-1	Proposed Adjustment Factors for Annual Emissions	C-30
Table C-2	District and ARB Control Measures Reducing On-road Mobile Source Emissions	C-31
Table C-3	Example County Emission Budget Calculation (tons per winter season day).....	C-31
Table C-4	Transportation Conformity Budgets (tons per average annual day)	C-32
Table D-1	District Stationary and Area Source Regulations Contributing to Continued PM2.5 Improvement.....	D-2
Table D-2	District Combustion Devices Rules	D-9
Table D-3	Emissions Reductions and Cost Effectiveness of Solid Fuel Fired Boilers by Fuel Type	D-41
Table D-4	SCR Annual Costs for a New Installation on a 1 MW Turbine	D-57
Table D-5	SCR Annual Costs for a Retrofit on a 1 MW Turbine	D-58
Table D-6	SCR Cost Effectiveness	D-60
Table D-7	Current Industrial Process Rules.....	D-66
Table D-8	Current Managed Burning Rules.....	D-84
Table D-9	Current Agricultural Process Rules	D-98
Table D-10	Current Residential and Commercial Rules	D-110
Table D-11	Estimated Emissions Reduction.....	D-116
Table D-12	Average Number of Days Forecast Above Curtailment Thresholds	D-120
Table D-13	Potential Emissions Reductions	D-126
Table D-14	Estimated Change in Number of No Burn Days	D-126
Table D-15	Emissions Reductions and Cost Effectiveness of Water Heaters by Fuel Type	D-130
Table D-16	Current Regulation VIII Rules.....	D-137

Table D-17	Additional Source Categories.....	D-163
Table D-18	City Bans of Leaf Blowers	D-172
Table D-19	Emission Inventory Codes.....	D-208
Table E-1	BenMAP Estimates of Mean Annual Reductions in Health Effects Under the Plan by 2019	E-9
Table E-2	Annual Estimated Reductions in Non-Fatal Health Costs by 2019 for Each Health Endpoint	E-12
Table 1-1	The Timeline for Completion of the Plan	F-16
Table 2-1	Major Field Studies in Central California and surrounding areas	F-20
Table 2-2	PM2.5 Monitoring sites in the San Joaquin valley nonattainment Area	F-23
Table 2-3	Percentiles and 24-hour Design Value.....	F-26
Table 4-1	Inventory Terms for Emission Source Types.....	F-45
Table 4-2	DTIM Emission Categories	F-63
Table 4-3	Summary of spatial surrogates.....	F-72
Table 4-4	ARB's SAPRC-99 emitted Organic Model Species	F-77
Table 4-5	Model Species for NOx	F-80
Table 5-1	MM5 30 Vertical Layer Configuration	F-93
Table 5-2	MM5 Physics Options	F-94
Table 5-3	CMAQv4.7.1 Schemes used for Current Simulations	F-96
Table 7-1	Observation for evaluating model performance.....	F-113
Table 8-1	The FRM sites in SJV and their companion speciation sites.....	F-125
Table E-1	2019 Modeled 24-hour PM2.5 Design Values with Enhanced Residential Wood Burning Curtailment Program.....	iv
Table E-2	Attainment Demonstration for the Bakersfield-California Design Value Site.....	vi
Table 1	Comparison of NOx and ammonia emissions in selected years	18
Table 2	Main emission sources of PM2.5 components.....	35
Table 3	Wintertime PM2.5 source contributions estimates for IMS-95 and CRPAQS	38
Table 4	2019 Modeled 24-hour PM2.5 Design Values.....	62
Table 5	Comparison of the concentration of chemical constituents for 2007 and 2019 design values at selected sites.....	63
Table 6	Modeled reduction in 2019 PM2.5 design value resulting from 25 percent reduction in valley wide precursor emissions	65
Table 7	Modeled PM2.5 air quality benefit per ton of valley wide precursor emission reductions	65
Table 8	Attainment Demonstration for the Bakersfield-California Design Value Site.....	70
Table H-1	Estimated PM2.5 Growth, Control, and Estimated Offset Use	H-7
Table H-2	Estimated NOx Growth, Control, and Estimated Offset Use	H-9
Table H-3	Estimated SOx Growth, Control, and Estimated Offset Use	H-11

Table H-4	Estimated VOC Growth, Control, and Estimated Offset Use.....	H-13
Table H-5	List of Emission Reduction Credits PM10 and PM2.5 Precursors.....	H-15
Table 1	Change in 2019 Design Value PM2.5 concentrations due to 50% Reduction in daily emissions of PM2.5, NOx, and SOx from NSR source categories within the SJV [$\mu\text{g m}^{-3} \text{ ton}^{-1}$].....	H-87
Table 2	NOx:PM2.5 and SOx:PM2.5 trading ratios for Valley-wide emission reductions of NSR source categories within the SJV	H-87
Table 3	NOx:PM2.5 and SOx:PM2.5 trading ratios for county based Emission reductions of NSR source categories within the SJV	H-88
Table 4	NOx:PM2.5 and SOx:PM2.5 trading ratios based on Speciated Linear Rollback Modeling Analysis of emission reductions of NSR source categories within the SJV	H-89

This page intentionally blank.